

SERAGE

QUALITY RELIABILITY VISION



TVI FIXED LENS BULLET



SRBT8FB

Imaging Device	SC8238 1/2.7" Progressive CMOS
Total Pixels	3872 (H) × 2180 (V)
Effective Pixels	3840 (H) × 2160 (V)
Scanning System	progressive scanning
Video Output	BNC
Resolution	8MP 3840 (H) × 2160 (V) AHD/TVI/CVI: 8MP@15fps, TVI/CVI: 8MP@12.5fps, CVBS: 960H
Max. Framerate	
Focal Length (Zoom Ratio)	2.8MM
Max. Aperture Ratio	F1.6
Angular Field of View	H:111.4° / V:58.8° / D:134°
Min. Object Distance	0.8m
Lens Type	Fixed lens
Audio	Audio over coaxial
Audio Range	7M
IR Distance	20M
On Screen Display	English
Day & Night	EXT / Color / B/W
Backlight Compensation	GLOBAL / BLC
Wide Dynamic Range	N/A
Digital Noise Reduction	2D DNR
Gain Control	AUTO
White Balance	ATW
Electronic Shutter Speed	AUTO
Reverse	Mirror
Remote control interface	ACP (AHD Coax Protocol)
Video Transmission Distance	MAX 300M (Cable : 5C 2V)
Operating Temperature	-30°C ~ 55°C / 90%
Ingress Protection	IP66
Input Voltage/Current	12V DC
Power Consumption	IR OFF ≤1W, IR ON ≤4W
Color / Material	Metal
Dimension (WxHxD)	TBD
Safety	CE LVD
EMC	CE EMC, FCC
ROHS	RoHS2.0

KEY FEATURES



DAYTIME



IR NIGHT MODE
Standby

WHERE

Outdoor, especially where the camera needs to be visible for deterrent purposes.

WHY

Wide angle with exceptional 8MP (Megapixel) crisp, quality picture.